Behavioral Ecology Vol. 8 No. 6: 691–698

Volume 8 Indexes

Subject Index

Acheta domesticus. *See* Crickets
Acoustical environments. *See also* Signaling
  and female preference in toads, 588–594
Adaptive behavior, to foraging demands, 551–559
Age at breeding
  costs associated with, 140–147
  in deer, 456–462
Agelaius phoeniceus. *See* Blackbirds, red-winged
Aggression
  among male collared lizards, 506–517
  among social wasps, 75–82
  among spiders, 663–667
  in captive-bred salmon, 473–474
  costs in crickets, 28–36
  and dominance rank, 298–306, 583–587
  effect of testosterone supplementation on, 135–139
  and oviposition patterns in wasps, 500–505
Albatrosses, black-browed, foraging and provisioning, 635–643
Alectura lathami. *See* Turkeys, Australian brush
Altitude, and sexual dimorphism, 675–690
Alytes. *See* Toads, midwife
Angelfish, alternative spawning tactics of, 372–377
Antelope, lechwe, mating strategies of, 1–9
Anthus spinoletta. *See* Pipits, water
Antipredator behavior
  of kangaroo rats, 404–413
  of polychaete worms, 186–193
  of skinks, 622–629
  of waterstriders, 351–363
Aposematism, 174–177
Aquarius (remigis, conformis). *See* Waterstriders
Aquila wahlbergi. *See* Eagles, Wahlberg's
Argyrodes antipodiana. *See* Spiders
Asymmetry test, of trapline foraging, 199–210
Aythya. *See* Ducks

Babblers, Arabian, provisioning in, 233–238
Beetles, pine engraver, paternal care in, 318–325
Begging, costs of, 644–646
Blackbirds, red-winged, sexual selection in, 524–533
Body condition
  and extrapair copulations in birds, 481–492
  and foraging, 465–469
  and parental care, 250–259
  and song quality in barn swallows, 364–371
Body mass, seasonal in deer, 493–499
Body size
  and maternal provisioning in wasps, 279–287
  and sperm competition in butterflies, 518–523
Bombus. *See* Bumble bees
Boreal climates, hoarding by birds in, 178–185
Bracon hebetor. *See* Wasps
Breeding
  age at first, 140–147, 456–462
  competition in salmon, 470–480
  cooperation in wild dogs, 298–306
  deferred in western gulls, 140–147
  ornaments
    effect of testosterone supplementation on, 135–139
    in smooth newts, 162
  synchrony in water pipits, 534–543
Brood parasitism
  determinants in water pipits, 534–543
  interspecific in ducks, 153–161
Brood raiding, in fire ants, 99–103
Brood size. *See also* Clutch size
  among siblicidal eagles, 544–550
  and molt stage, 92–98
  obligate reduction of, 378
  and parental care in kingbirds, 250–259
Bumble bees, foraging dynamics of, 199–210, 239–249
Buteo buteo vulpinus. *See* Buzzards, steppe
Butterflies, sperm competition among polyandrous, 518–523
Buzzards, steppe, flight behavior of, 288–297

Caching. *See* Hoarding
Call frequency, of midwife toads, 588–594
Canis lupus. *See* Wolves, gray
Cannibalism, larval, among frogs, 261, 264
Centropyge ferrugatus. *See* Angelfish
Charadriides, evolution of parental care in, 126–134
Charrs, foraging modes of, 414–420
Chickadees, black-capped. *See also* Paridae
  signaling in, 167–173
Clutch size. *See also* Brood size
  optimal, 500–505, 668–674
  and parasite load in great tits, 148–152
  theory, 652–653
Cockroaches, effect of environment on sexual selection, 46–53
Coloniality, role of extrapair fertilization in, 113–119
Color development, effect of testosterone supplementation on, 135–139
Communal breeding, polyandrous, 668–674
Competition intensity. *See also* Breeding, competition of foraging, 54–59
Cooperation
  among breeding wild dogs, 298–306
  among lekking ruffs, 218–225
  among social wasps, 75–82
Copulation
  extrapair, 595–600. *See also* Extrapair fertilization
  repeated in tits, 87–91
Coreidae, male egg carrying in, 429–432
Corticosterone levels, in African wild dogs, 298–306
Courtship. *See also* Mating strategies
  effect of environmental quality on, 46–53
Crickets
  mate choice, 66–74, 326–331
  costs of aggression, 28–36
Crotaphytus collaris. *See* Lizards
Crypticity, 307–317

Dama dama. *See* Deer, fallow
Dawn chorus. *See also* Singing
  honest signaling during, 167–173
Deer, fallow
  age at first reproduction, 456–462
  early growth in, 493–499

Dendrobates ventrimaculatus. *See* Frogs, Amazonian dart-poison
Developmental stability
and flight performance, 601–604
and predation success, 433–436
Diomedea melanophris. *See* Albatrossess, black-browed
Dipodomys spectabilis. *See* Kangaroo rats
Dispersal patterns, of North American pikas, 340–350
Dominance. *See also* Rank
in male ruffs, 213, 214
and reproductive behavior, 298–306, 456–462
and sex change among angelfish, 372–377
winner and loser effects, 583–587
Ducks, interspecific brood parasitism among, 153–161
Dungflies, predation success of, 433–436

Eagles, Wahlberg's, insurance offspring, 544–550
Egg burial, in penduline tits, 20–27
Egg carrying, by male coreid bugs, 429–432
Egg guarding, 655–662
Egg quality, and insurance offspring, 544–550
Egg size, of sea-ranched salmon, 476
Ejaculate size, and sperm competition in butterflies, 518–523
Energy expenditure, in crickets, 28–36
Energy management, by titmice, 332–339
Environment. *See also* Habitat
effect on energy management by birds, 332–339
effect on reproductive behavior, 270–273
effect on sexual dimorphism, 675–690
and extrapair paternity, 534–543
and sexual selection, 46–53, 524–533
Esox lucius. *See* Pike, northern
Estrogen, levels in African wild dogs, 298–306
Eusociality, 75
Evolutionarily stable strategies, for clutch size and sex ratio, 500
Extrapair copulations, among female hooded warblers, 595–600
Extrapair fertilization
among American redstarts, 612–621
among brush turkeys, 560–568
in bearded tits, 113–119
determinants in water pipits, 534–543
Extraterritorial foray hypothesis, 595

Facial dominance, and quality of *Homo sapiens* males, 569–579
Fat reserves, of titmice, 332–339
Feeding. *See* Foraging; Provisioning
Female quality, and extrapair copulations, 113–119
Ferrets, searching behavior of, 448–455
Ficedula albicollis. *See* Flycatchers
Fighting. *See* Aggression
Finches
producer-scrounger dynamics in spice, 54–59
variation in sexual dimorphism, 675–690
Fire ants, brood raiding in, 99–103
Flight
behavior of steppe buzzards, 288–297
and developmental stability, 601–604
Fluctuating asymmetry, 66, 433, 601
Flycatchers
costs of lek size variation in ochre-bellied, 396–403
paternal effort in collared, 421–428
Food supply. *See also* Foraging
effect on energy management by titmice, 332–339
Footdrumming, by kangaroo rats, 404–413
Foraging
by albatross parents, 635–643
behavior of ferrets, 448–455
geometry of, 37–45, 199–210
kleptoparasitism, 663–667
models of, 178–185, 307–317
and ovicide, 647–653
regulation of, 414–420, 465–469
site selection, 437–447
trade-offs, 551–559
Frogs, Amazonian dart-poison, reproductive strategies of, 260–267
Fruit flies, foraging behavior, 37–45

Genetic quality, role in mate choice, 60–65
Gliding, by migrating buzzards, 288–297
Glossina morsitans morsitans. *See* Tsetse flies
Good-genes hypothesis, 481
Grasshoppers, foraging trade-offs, 551–559
Gregariousness, role in prey survival, 174–177
Growth, early, in deer, 493–499
Gulls, western, cost of reproduction in, 140–147
Guppies, female mate choice in, 194–198
Gyrllodes sigillatus. *See* Crickets

Habitat. *See also* Environment
role in sexual dimorphism, 506–517
selection
factors influencing, 120–125, 351–363
by juvenile coho salmon, 437–447
Harassment
among mating tsetse flies, 392–395
of lek-mating in ruffs, 215
in mating antelope, 1–9
Hatching order, in Arabian babblers, 233–238
Hematocrit, and song quality in barn swallows, 368–369
Hermaphroditism. *See also* Sex change
simultaneous, 83–86
Heterospecific matings, in mollies, 104
Heterozygosity, role in mate choice, 60–65
Hiding behavior, of polychaete worms, 186–193
Hirundo rustica. *See* Swallows, barn
Hoarding
model of long-term, 178–185
in titmice, 332–339
Homo sapiens, facial dominance and male quality, 569–579
Host discrimination, 226
Hotshot hypothesis, 396–403
Hot-spot hypothesis, 396–403
Houseflies, factors affecting predation of, 433–436
Hymenoptera, superparasitism by, 226–232

Ideal free distribution theory, 437–447
Immune system
role in spermatogenesis, 109–111
and song quality of barn swallows, 364–371
Immunocompetence hypothesis, 135
Incest, among gray wolves, 384–391
Incubation, trade-offs with foraging, 465–469
Insurance offspring
in American white pelicans, 378–383
determinants of, 544–550
Ips pini. *See* Beetles, pine engraver

Kangaroo rats, antipredator behavior of, 404–413
Kingbirds, parental care in, 250–259
Kin recognition, 99, 233–238
Kleptoparasitism, 663–667
Kobus leche. *See* Antelope, lechwe

Larus occidentalis. See Gulls, western
Learning, among ferrets, 448–455
Lekking
in antelope, 1–9
in buff-breasted sandpipers, 268–278
costs in flycatchers, 396–403
sites in ruffs, 211–217
Lemuriformes, sexual selection among, 10–19
Lepidoptera, sperm competition among, 518–523
Life-history trade-offs
in blue tits, 92–98
between foraging and predation risk, 663–667
by juvenile coho salmon, 437–447
in shorebirds, 126–134
in tits, 92–98, 148–152
Lizards
sexual dimorphism in, 506–517
testosterone suppplementation in, 135–139
Lonchura punctulata. See Finches
Longevity. *See also* Mortality; Survival
effects of courtship on, 392–395
Lorisiformes, sexual selection among, 10–19
Lycaon pictus. See Wild dogs, African

Maggot flies, apple, searching efficiency of, 37–45
Major histocompatibility complex, and mate choice in mice, 630–634
Malarial parasites, in great tits, 148–152
Male quality, of *Homo sapiens*, 569–579
Mantel test, of trapline foraging, 199–210
Mate assessment, and repeated copulation, 87–91
Mate choice
in cockroaches, 46–53
copying in mollies, 104–107
in crickets, 66–74, 326–331
female
in blue tits, 481–492
in collared lizards, 506–517
in midwife toads, 588–594
in ruffs, 218–225
in guppies, 194–198
and major histocompatibility complex, 630–634
in red-winged blackbirds, 524–533
role of heterozygosity, 60–65
in smooth newts, 162–166
Mate desertion, and egg burial, 20–27
Mate guarding, 429–432
Mating behavior, effect of social interference on, 351–363
Mating strategies. *See also* Lekking; Polyandry; Polygyny
alternative, 218–225, 268–278
of frogs, 260–267
of American redstarts, 612–621
communal, 668–674
desertion, 20–27
in haremic angelfish, 372–377
of water pipits, 534–543
Melanerpes formicivorus. See Woodpeckers, acorn
Melanoplus femurrubrum. See Grasshoppers
Mice, house, mate choice and major histocompatibility complex, 630–634
Microsatellite analysis, 385
Migration
flight behavior of buzzards during, 288–297
of sea-ranched salmon, 474
Minnows, fathead
effect of predators on reproductive behavior of, 655–662
Mionectes oleagineus. See Flycatchers
Modeling. *See also* Optimality models
of food hoarding, 178–185
Mollies, sailfin, heterospecific matings among, 104–107
Molt
and asymmetry, 601–604
conflict with parental care, 92–98
Mortality, and age at first breeding, 140–147
Multiple mating. *See also* Extrapair fertilization; Polyandry; Polygyny
in smooth newts, 162–166
in crickets, 66–74
Musca domestica. See Houseflies
Mus domesticus. See Mice, house
Mustela putorius furo. See Ferrets

Nauphoeta cinerea. See Cockroaches
Nest desertion
in penduline tits, 20–27
in shorebirds, 126–134
Nestlings
competition among Arabian babbler, 233–238
costs of begging, 644–646
Nest-site choice, and extrapair fertilization, 113–119
Newts, smooth, mate choice in, 162–166
Nuptial gifts, and mate choice in crickets, 326–331

Ochotona princeps. See Pikas, North American
Oecanthus nigricornis. See Crickets
Oncorhynchus kisutch. See Salmon
Ophryotrocha, egg trading in, 83–86
Optimality models, 307–317, 448, 500–505
for avoiding predation, 622
multiobjective, 551–559
Ovicide, determinants of wasp, 647–654

Panurus biarmicus. See Tits
Parasite load
and clutch size in great tits, 148–152
in lizards, 137
Parasite resistance, 109
Parasitoids, solitary, 226–232
Parental care. *See also* Provisioning
in American white pelicans, 378–383
in Arabian babblers, 233–238
conflict with molt, 92–98
in eastern kingbirds, 250–259
evolution in shorebirds, 126–134
male, 318–325, 421–428, 560–568
maternal and growth of deer fawns, 493–499
Paridae, models of hoarding and foraging, 178–185
Parity, and growth of deer fawns, 493–499
Parus atricapillus. See Chickadees, black-capped
Parus bicolor. See Titmice, tufted
Parus caeruleus. See Tits, blue
Parus cristatus. See Tits
Parus major. See Tits, great
Patch exploitation. *See also* Foraging
by bumble bees, 239–249
in spice finches, 54–59
Paternity
assessment by brush turkeys, 560–568
assurance of, 318–325, 421–428
Pelecanus erythrorhynchos. See Pelicans, American white
Pelicans, American white, parental investment in, 378–383
Petrels, Antarctic, regulation of foraging trips, 465–469
Pheromonal communication, effect of environmental quality on, 46–53
Philomachus pugnax. See Ruffs
Phyllomorpha laciniata, male egg carrying by, 429–432

Physella. *See* Snails
Pieris napi. *See* Butterflies
Pikas, North American, natal dispersal patterns of, 340–350
Pike, northern, effect on reproductive behavior of fathead minnows, 655–662
Pimephales promelas. *See* Minnows, fathead
Pipits, water, extrapair fertilization and brood parasitism, 534–543
Plant canopy architecture, 37–45
Plasmodium parasites, in great tits, 148–152
Poecilia latipinna. *See* Mollies, sailfin
Poecilia reticulata. *See* Guppies
Polistes. *See* Wasps
Pollination, by bumble bees, 239
Polyandry
in a communal breeding system, 668–674
and egg burial, 20–27
in smooth newts, 162–166
and sperm competition in butterflies, 518–523
in crickets, 66–74
Polygyny, 668–674
among marine angelfish, 372–377
Pomatoschistus minutus. *See* Sand gobies
Population structure, of North American pikas, 340–350
Postcopulatory choice hypothesis, 66
Predation
and developmental stability, 433–436
risk
among juvenile coho salmon, 437–447
and begging by nestlings, 644–646
effect on habitat selection and use, 120–125, 351–363
effects on reproductive behavior, 655–662
and foraging, 551–559
and kleptoparasitism, 663–667
Primates. *See also Homo sapiens*
sexual selection in strepsirhine, 10–19
Prisoner's dilemma, 218, 668–674
Producer-scrounger systems, 54–59
Protandry, 83
Provisioning. *See also* Parental care
by albatrosses, 635–643
by Arabian babblers, 233–238
by kingbirds, 250–259
by mother wasps, 279–287
Psammodromus algirus, testosterone supplementation in, 135–139

Radio telemetry, of female hooded warblers, 595–600
Rank. *See also* Dominance
of *Homo sapiens* males, 569–579
Redstarts, American, extrapair fertilizations among, 612–621
Remiz pendulinus. *See* Tits
Reproductive costs, 140–147, 250–259, 392–395
associated with egg incubation, 465–469
Reproductive parasitism. *See also* Mate desertion; Parental care
among frogs, 260–267
Reproductive rates, and food availability, 605–611
Reproductive success
and age among American redstarts, 612–621
and early experience in salmon, 470–480
effects of brood parastism on, 153–161
of *Homo sapiens*, 569–579
Reproductive suppression, in African wild dogs, 298–306
Resource defense, in antelope, 1–9
Resource-holding power, 583–587
Resource use, effect of predation risk on, 120–125
Respirometry, 29
Rhagoletis pomonella. *See* Maggot flies, apple
Ruffs
female mate choice in, 218–225
use of lek sites by, 211–217

Salmon
foraging site selection, 437–447
reproductive success, 470–480
Salmo salar. *See* Salmon
Saltatory search, 307–317
Salvelinus. *See* Charrs
Sand gobies, reproductive rates and food availability, 605–611
Sandpipers, buff-breasted, lekking behavior of, 268–278
Scathophaga stercoraria. *See* Dungflies
Scincella lateralis. *See* Skinks
Searching efficiency.
of albatrosses, 635–643
of ferrets, 448–455
of insects, 37–45
in spice finches, 54–59
Serpula vermicularis, hiding behavior by, 186–193
Setophaga ruticilla. *See* Redstarts, American
Sex allocation, in wasps, 279–287
Sex change, among marine angelfish, 372–377
Sex ratios
among sand gobies, 605–611
effect on male egg carrying in coreid bugs, 429–432
and longevity among tsetse flies, 392–395
optimization in wasps, 500–505
of water pipits, 534–543
Sexual dimorphism
altitudinal variation in, 675–690
in collared lizards, 506–517
in primates, 10–19
in shorebirds, 126–134
in wasps, 279–287
Sexual selection
among birds, 126–134, 218–225, 524–533
among fish, 194–198, 605–611
in crickets, 66–74, 326–331
effect of environmental quality on, 46–53
and heterozygosity, 60–65
in lizards, 506–517
and mate-choice copying, 104
in midwife toads, 588–594
in primates, 10–19
in smooth newts, 162–166
and testosterone, 108–109
Shorebirds
evolution of parental care in, 126–134
lekking behavior in, 268–278
Siblicide, 544–550
Signaling
acoustic, 28–36, 167–173, 588–594
defensive, 174–177, 404–413
facial dominance of *Homo sapiens*, 569–579
and immunological condition in barn swallows, 364–371
Singing
and extrapair copulations in birds, 481–492
as honest advertisement in chickadees, 167–173
quality and immunological condition in swallows, 364–371
Site fidelity, of lekking ruffs, 211–217
Skinks, antipredator behavior of, 622–629
Snails, predation risk and habitat use, 120–125
Snakes, interactions with kangaroo rats, 404–413
Soaring, by migrating buzzards, 288–297

Social interference, effect on habitat selection of waterstriders, 351–363
Social organization, role in sexual dimorphism, 506–517
Social stress, among African wild dogs, 298–306
Solenopsis invicta. *See* Fire ants
Spawning frequency, among marine angelfish, 372–377
Spermatogenesis, role of immune system, 109–111
Spermatophore, of crickets, 326–331
Sperm competition, 109
  among blue tits, 481–492
  in male pine engraver beetles, 318–325
  in primates, 10–19
Spiders, foraging and predation risk, 663–667
Starlings, flight performance and developmental stability, 601–604
Stealing. *See* Kleptoparasitism
Stridulation. *See* Signaling, acoustic
Sturnus vulgaris. *See* Starlings
Superparasitism, 226–232
  by wasps, 647–654
Survival, of cuckolded male birds, 486
Swallows, barn
  immunological condition and song quality, 364–371
  test of tail elongation in, 580–581

Territory intrusion, among female hooded warblers, 595–600
Territory overlap, and extrapair paternity, 534–543
Testis size, in strepsirhine primates, 10–19
Testosterone
  effects of supplementation in lizards, 135–139
  levels in African wild dogs, 298–306
  and sexual selection, 108–109
Thalassoica antarctica. *See* Petrels, Antarctic
Thermoregulation, in skinks, 622–629
Titmice, tufted, fat reserves and hoarding in, 332–339
Tits. *See also* Paridae
  blue
    extrapair paternity in, 481–492
    life-history trade-offs in, 92–98
  egg burial in penduline, 20–27
  extrapair fertilization in bearded, 113–119
  great
    clutch size and malarial parasites in, 148–152
    reaction to novel prey, 174–177
  repeated copulation in crested. 87–91
Toads, midwife, female mate choice, 588–594
Trade-offs. *See* Life-history trade-offs
Triturus vlugaris. *See* Newts, smooth
Trophic cascades, 120
Tryngites subruficollis. *See* Sandpipers, buff-breasted
Trypoxylon politum. *See* Wasps
Tsetse flies, effects of courtship on longevity of, 392–395
Turdoides squamiceps. *See* Babblers, Arabian
Turkeys, Australian brush, paternity in, 560–568
Tyrannus tyrannus. *See* Kingbirds

Usurpation, among fire ants, 99–103

Venturia canescens, superparasitism by, 226–232

Warblers, hooded, extrapair copulations among female, 595–600
Wasps
  aggression in social, 75–82
  determinants of ovicide, 647–654
  maternal sex allocation in organ-pipe, 279–287
  offspring allocation in fig, 500–505
  superparasitism by, 226–232
Waterstriders, factors influencing habitat selection of, 351–363
Weaning, and growth of deer fawns, 493–499
Wild dogs, African, rank and reproduction in, 298–306
Wilsonia citrina. *See* Warblers, hooded
Wing dimorphism, in crickets, 326–331
Winner and loser effects, 583–587
Wolves, gray, incest among, 384–391
Woodpeckers, acorn, polyandry among, 668–674
Worms, polychaete
  egg trading in hermaphroditic, 83–86
  hiding behavior of, 186–193

Author/Title Index

Adams ES. *See* Balas MT
Adams LG. *See* Smith D
Alatalo RV. *See* Mappes J
Aluja M. *See* Casas J
Amos W. *See* Summers K
Anderson JP, Stephens DW, Dunbar SR: Saltatory search: a theoretical analysis, 307–317
Antolin MF. *See* Takasu K

Badyaev AV: Altitudinal variation in sexual dimorphism: a new pattern and alternative hypotheses, 675–690
Baird TA, Fox SF, McCoy JK: Population differences in the roles of size and coloration in intra- and intersexual selection in the collared lizard, *Crotaphytus collaris*: influence of habitat and social organization, 506–517
Balas MT, Adams ES: Intraspecific usurpation of incipient fire ant colonies, 99–103
Beauchamp G, Giraldeau L-A: Patch exploitation in a producer–scrounger system: test of a hypothesis using flocks of spice finches (*Lonchura punctulata*), 54–59
Bernstein C. *See* Sirot E
Birgersson B, Ekvall K: Early growth in male and female fallow deer fawns, 493–499
Birks SM: Paternity in the Australian brush-turkey, *Alectura lathami*, a megapode bird with uniparental male care, 560–568
Bissoondath CJ, Wiklund C: Effect of male body size on sperm precedence in the polyandrous butterfly *Pieris napi* L. (Lepidoptera: Pieridae), 518–523
Bollmann K. *See* Reyer H-U
Bosch J. *See* Márquez R
Brodin A, Clark CW: Long-term hoarding in the *Paridae*: a dynamic model, 178–185
Brown JL: A theory of mate choice based on heterozygosity, 60–65
Brown WD: Female remating and the intensity of female choice in black-horned tree crickets, *Oecanthus nigricornis*, 66–74
Bruderer B. *See* Spaar R
Burch JW. *See* Smith D

Casas J, Aluja M: The geometry of search movements of insects in plant canopies, 37–45
Chao L: Evolution of polyandry in a communal breeding system, 668–674
Chittka L, Gumbert A, Kunze J: Foraging dynamics of bumble bees: correlates of movements within and between plant species, 239–249
Christe P. *See* Oppliger A

Chruszcz B. *See* Otter K
Clark CW. *See* Brodin A
Clark DC, DeBano SJ, Moore AJ: The influence of environmental quality on sexual selection in *Nauphoeta cinerea* (Dictyoptera: Blaberidae), 46–53
Clutton-Brock T, Langley P: Persistent courtship reduces male and female longevity in captive tsetse flies *Glossina morsitans morsitans* Westwood (Diptera: Glossinidae), 392–395
Cohon JL. *See* Rothley KD
Creel NM. *See* Creel S
Creel S, Creel NM, Mills MGL, Monfort SL: Rank and reproduction in cooperatively breeding African wild dogs: behavioral and endocrine correlates, 298–306

DeBano SJ. *See* Clark DC
Dhondt AA. *See* Kempenaers B; Lens L
Dias PC. *See* Sheldon BC
Dill LM, Fraser AHG: The worm re-turns: hiding behavior of a tube-dwelling marine polychaete, *Serpula vermicularis*, 186–193
Dill LM. *See* Grand TC
Dugatkin LA: Winner and loser effects and the structure of dominance hierarchies, 583–587
Dunbar SR. *See* Anderson JP

Eklund A: The major histocompatibility complex and mating preferences in wild house mice (*Mus domesticus*), 630–634
Ekvall K. *See* Birgersson B
Emslie SD. *See* Pyle P
Evans RM: Parental investment and quality of insurance offspring in an obligate brood-reducing species, the American white pelican, 378–383

Fausch KD, Nakano S, Kitano S: Experimentally induced foraging mode shift by sympatric charrs in a Japanese mountain stream, 414–420
Fleming IA, Lamberg A, Jonsson B: Effects of early experience on the reproductive performance of Atlantic salmon, 470–480
Folstad I, Skarstein F: Is male germ line control creating avenues for female choice? [forum] 109–112
Fox SF. *See* Baird TA
Fraser AHG. *See* Dill LM

Gabor CR, Halliday TR: Sequential mate choice by multiply mating smooth newts: females become more choosy, 162–166
Galeotti P. *See* Saino N
Geffen E. *See* Smith D
Giraldeau L-A. *See* Beauchamp G
Gori D. *See* Langston N
Grand TC, Dill LM: The energetic equivalence of cover to juvenile coho salmon (*Oncorhynchus kisutch*): ideal free distribution theory applied, 437–447
Greeff JM: Offspring allocation in externally ovipositing fig wasps with varying clutch size and sex ratio, 500–505
Grubb TC Jr. *See* Pravosudov VV
Gumbert A. *See* Chittka L

Hack MA: The energetic costs of fighting in the house cricket, *Acheta domesticus* L., 28–36
Halliday TR. *See* Gabor CR
Haskell DG: Experiments and a model examining learning in the area-restricted search behavior of ferrets (*Mustela putorius furo*), 448–455
Haskins KE, Sih A, Krupa JJ: Predation risk and social interference as factors influencing habitat selection in two species of stream-dwelling waterstriders, 351–363
Hillgarth N, Ramenofsky M, Wingfield J: Testosterone and sexual selection [forum], 108–109
Hindermeyer X. *See* Weimerskirch H
Hoi H, Hoi-Leitner M: An alternative route to coloniality in the bearded tit: females pursue extra-pair fertilizations, 113–119. *See also* Valera F
Hoi-Leitner M. *See* Hoi H
Houde A. *See* Rosenqvist G
Hugie DM, Lank DB: The resident's dilemma: a female choice model for the evolution of alternative mating strategies in lekking male ruffs (*Philomachus pugnax*), 218–225

Jones HM, Paszkowski CA: Effects of northern pike on patterns of nest use and reproductive behavior of male fathead minnows in a boreal lake, 655–662
Jonsson B. *See* Fleming IA

Kaitala A, Miettinen M: Female egg dumping and the effect of sex ratio on male egg carrying in a coreid bug, 429–432
Kappeler PM: Intrasexual selection and testis size in strepsirhine primates, 10–19
Kempenaers B, Verheyen GR, Dhondt AA: Extrapair paternity in the blue tit (*Parus caeruleus*): female choice, male characteristics, and offspring quality, 481–492
Kitano S. *See* Fausch KD
Klecack G. *See* Reyer H-U
Komers PE, Pélabon C: Age at first reproduction in male fallow deer: age-specific versus dominance-specific behaviors, 456–462
Krupa JJ. *See* Haskins KE
Kuhnlein U. *See* Perreault S
Kunze J. *See* Chittka L
Kvarnemo C: Food affects the potential reproductive rates of sand goby females but not of males, 605–611

Lamberg A. *See* Fleming IA
Lanctot RB, Weatherhead PJ: Ephemeral lekking behavior in the buff-breasted sandpiper, *Tryngites subruficollis*, 268–278
Langley P. *See* Clutton-Brock T
Langston N, Rohwer S, Gori D: Experimental analyses of intra- and intersexual competition in red-winged blackbirds, 524–533
Lank DB. *See* Hugie DM
Leech SM, Leonard ML: Begging and the risk of predation in nestling birds, 644–646
Lemon RE. *See* Perreault S
Lens L, Van Dongen S, Van den Broeck M, Van Broeckhoven C, Dhondt AA: Why female crested tits copulate repeatedly with the same partner: evidence for the mate assessment hypothesis, 87–91
Leonard ML. *See* Leech SM
Lissemore FM: Frass clearing by male pine engraver beetles (*Ips pini;* Scolytidae): paternal care or paternity assurance? 318–325
López P. *See* Salvador A
Lorentsen S-H. *See* Tveraa T

Maigret JL, Murphy MT: Costs and benefits of parental care in eastern kingbirds, 250–259
Mappes J, Alatalo RV: Effects of novelty and gregariousness in survival of aposematic prey, 174–177
Márquez R, Bosch J: Female preference in complex acoustical environments in the midwife toads *Alytes obstetricans* and *Alytes cisternasii*, 588–594

Martín J. *See* Salvador A
Matocq MD. *See* Randall JA
Mazur A. *See* Mueller U
McCoy JK. *See* Baird TA
Mech LD. *See* Smith D
Meier T. *See* Smith D
Miettinen M. *See* Kaitala A
Mills MGL. *See* Creel S Monfort SL. *See* Creel S
Møller AP. *See* Saino N
Molumby A: Why make daughters larger? Maternal sex-allocation and sex-dependent selection for body size in a mass-provisioning wasp, *Trypoxylon politum*, 279–287
Moore AJ. *See* Clark DC
Mougey T. *See* Weimerskirch H
Mueller U, Mazur A: Facial dominance in *Homo sapiens* as honest signaling of male quality, 569–579
Murphy MT. *See* Maigret JL

Nakano S. *See* Fausch KD
Néfdt RJC, Thirgood SJ: Lekking, resource defense, and harassment in two subspecies of lechwe antelope, 1–9
Neudorf DL, Stutchbury BJM, Piper WH: Covert extraterritorial behavior of female hooded warblers, 595–600
Nilsson J-A. *See* Svensson E
Nonacs P. *See* Reeve HK
Nur N. *See* Pyle P

Ode PJ. *See* Takasu K
Oppliger A, Christe P, Richner H: Clutch size and malarial parasites in female great tits, 148–152
Ostreiher R: Food division in the Arabian babbler nest: adult choice or nestling competition? 233–238
Otter K, Chruszcz B, Ratcliffe L: Honest advertisement and song output during the dawn chorus of black-capped chickadees, 167–173

Paszkowski CA. *See* Jones HM
Peacock MM: Determining natal dispersal patterns in a population of North American pikas (*Ochotona princeps*) using direct mark-resight and indirect genetic methods, 340–350
Pélabon C. *See* Komers PE
Perreault S, Lemon RE, Kuhnlein U: Patterns and correlates of extrapair paternity in American redstarts (*Setophaga ruticilla*), 612–621
Piper WH. *See* Neudorf DL
Ploye H. *See* Sirot E
Pravosudov VV, Grubb TC Jr: Management of fat reserves and food caches in tufted timice (*Parus bicolor*) in relation to unpredictable food supply, 332–339
Premoli MC. *See* Sella G
Pyle P, Nur N, Sydeman WJ, Emslie SD: Cost of reproduction and the evolution of deferred breeding in the western gull, 140–147

Ramenofsky M. *See* Hillgarth N
Randall JA, Matocq MD: Why do kangaroo rats (*Dipodomys spectabilis*) footdrum at snakes? 404–413
Räsänen K. *See* Sheldon BC
Ratcliffe L. *See* Otter K
Reeve HK, Nonacs P: Within-group aggression and the value of group members: theory and a field test with social wasps, 75–82
Reyer H-U, Bollmann K, Schläpfer AR, Schymainda A, Klecack G: Ecological determinants of extrapair fertilizations and egg dumping in Alpine water pipits (*Anthus spinoletta*), 534–543
Reynolds JD, Székely T: The evolution of parental care in shorebirds: life histories, ecology, and sexual selection, 126–134
Richner H. *See* Oppliger A
Rohwer S. *See* Langston N
Rosenqvist G, Houde A: Prior exposure to male phenotypes influences mate choice in the guppy, *Poecilia reticulata*, 194–198
Rothley KD, Schmitz OJ, Cohon JL: Foraging to balance conflicting demands: novel insights from grasshoppers under predation risk, 551–559
Rowe L. *See* Thomas ALR
Ryan MJ. *See* Schlupp I

Sacchi R. *See* Saino N
Saino N, Galeotti P, Sacchi R, Møller AP: Song and immunological condition in male barn swallows (*Hirundo rustica*), 364–371
Sakai Y: Alternative spawning tactics of female angelfish according to two different contexts of sex change, 372–377
Sakaluk SK: Cryptic female choice predicated on wing dimorphism in decorated crickets, 326–331
Salvador A, Veiga JP, Martín J, López P: Testosterone supplementation in subordinate, small male lizards: consequences for aggressiveness, color development, and parasite load, 135–140
Sæther B-E. *See* Tveraa T
Schläpfer AR. *See* Reyer H-U
Schymainda A. *See* Reyer H-U
Schleicher B. *See* Valera F
Schlupp I, Ryan MJ: Male sailfin mollies (*Poecilia latipinna*) copy the mate choice of other males, 104–107
Schmitz OJ. *See* Rothley KD
Sella G, Premoli MC, Turri F: Egg trading in the simultaneously hermaphroditic polychaete worm *Ophryotrocha gracilis* (Huth), 83–86
Sheldon BC, Räsänen K, Dias PC: Certainty of paternity and paternal effort in the collared flycatcher, 421–428
Sih A. *See* Haskins KE
Simmons RE: Why don't all siblicidal eagles lay insurance eggs? The egg quality hypothesis, 544–550
Sirot E, Ploye H, Bernstein C: State dependent superparasitism in a solitary parasitoid: egg load and survival, 226–232
Skarstein F. *See* Folstad I
Slatkin M. *See* Thomson JD
Smith D, Meier T, Geffen E, Mech LD, Burch JW, Adams LG, Wayne RK: Is incest common in gray wolf packs? 384–391
Smith DG: Ecological factors influencing the antipredator behaviors of the ground skink, *Scincella lateralis*, 622–629
Smith JNM. *See* Westcott D
Sorenson MD: Effects of intra- and interspecific brood parasitism on a precocial host, the canvasback, *Aythya valisineria*, 153–161
Spaar R, Bruderer B: Optimal flight behavior of soaring migrants: a case study of migrating steppe buzzards, *Buteo buteo vulpinus*, 288–297
Stenström D. *See* Komers PE
Stephens DW. *See* Anderson JP
Strand MR. *See* Takasu K
Stutchbury BJM. *See* Neudorf DL
Summers K, Amos W: Behavioral, ecological, and molecular genetic analyses of reproductive strategies in the Amazonian dart-poison frog, *Dendrobates ventrimaculatus*, 260–267
Svensson E, Nilsson J-A: The trade-off between molt and parental care: a sexual conflict in the blue tit? 92–98
Swaddle JP: Developmental stability and predation success in an insect predator–prey system, 433–436

Swaddle JP: Within-individual changes in developmental stability affect flight performance, 601–604
Sydeman WJ. *See* Pyle P
Székely T. *See* Reynolds JD

Takasu K, Ode PJ, Antolin MF, Strand MR: Environmental and genetic determinants of ovicide in the parasitic wasp *Bracon hebetor*, 647–654
Thirgood SJ. *See* Nefdt RJC
Thomas ALR, Rowe L: Experimental tests on tail elongation and sexual selection in swallows (*Hirundo rustica*) do not affect the tail streamer and cannot test its function [forum], 580–581
Thomson BA. *See* Thomson JD
Thomson JD, Slatkin M, Thomson BA: Trapline foraging by bumble bees: II: Definition and detection from sequence data, 199–210
Turner AM: Contrasting short-term and long-term effects of predation risk on consumer habitat use and resources, 120–125
Turri F. *See* Sella G
Tveraa T, Lorentsen S-H, Sæther B-E: Regulation of foraging trips and costs of incubation shifts in the Antarctic petrel (*Thalassoica antarctica*), 465–469

Valera F, Hoi H, Schleicher B: Egg burial in penduline tits, *Remiz pendulinus*: its role in mate desertion and female polyandry, 20–27
Van Broeckhoven C. *See* Lens L
Van den Broeck M. *See* Lens L
Van Dongen S. *See* Lens L
Veiga JP. *See* Salvador A
Verheyen GR. *See* Kempenaers B

Wayne RK. *See* Smith D
Weatherhead PJ. *See* Lanctot RB
Weimerskirch H, Mougey T, Hindermeyer X: Foraging and provisioning strategies of black-browed albatrosses in relation to the requirements of the chick: natural variation and experimental study, 635–643
Westcott D, Smith JNM: Lek size variation and its consequences in the ochre-bellied flycatcher, *Mionectes oleagineus*, 396–403
Whitehouse MEA: The benefits of stealing from a predator: foraging rates, predation risk, and intraspecific aggression in the kleptoparasitic spider *Argyrodes antipodiana*, 663–667
Widemo F: The social implications of traditional use of lek sites in the ruff *Philomachus pugnax*, 211–217
Wiklund C. *See* Bissoondath CJ
Wingfield J. *See* Hillgarth N